www.ledundco.at





LED & CO Datasheet

LED Ball









LED Ball Object Illumination


LED-Spotlight

This LED spotlight for various object illuminations comes with a frame, consists of a high-quality aluminium cast, and is designed in 2 sizes.

In standard RAL colour 9006, equipped with different LED modules and optics, it covers a wide range of application areas from sculptures up to sophisticated illumination of buildings.

Different light colours on request, with a colour rendering index of Ra > 75.

Dimensions:



	Size A	Size B	Size C
Height (H)	90 mm	120 mm	320 mm
Diameter (D)	65 mm	110 mm	200 mm
Width (W)	72 mm	120 mm	310 mm

LED & Co helle Köpfe GmbH

A-8264 Hainersdorf 80

www.ledundco.at





Details:

✓ Protection class: II or I

✓ Operating voltage: 160-270 Volt

✓ $\cos \varphi$: ≥ 0.96 full load value

✓ Autom. temperature monitoring

✓ Protection category: IP 66

✓ Cable feedthrough IP 68

✓ Lifespan of LED-module: \geq 60.000 hours

✓ CE, TüV

	LED Ball 7	LED Ball 12	LED Ball 18	LED Ball 36	LED Ball 72
Power input:	max. 7,5W	max. 14W	max. 20W	max. 40	max. 80W
Light output:	789 lm	1.352 lm	2.028 lm	4.057 lm	8.114 lm
Size:	A	В	В	С	С

Optional:

Dimming switch: 1-10V

> Alternative luminous colour

> Overvoltage protection: 10kV/ 4kV standard

> RAL - colour of choice

LED & Co helle Köpfe GmbHA-8264 Hainersdorf 80

www.ledundco.at





